L Number	Hits	Search Text	DB	Time stamp
1	11721	IMAGE AND FEEDBACK AND INTERVAL	USPAT;	2003/01/16 14:50
			EPO;	
			IBM TDB	
2	2984	FEEDBACK WITH INTERVAL	USPĀT;	2003/01/16 14:50
-			EPO;	
			IBM TDB	1
3	483	(IMAGE AND FEEDBACK AND INTERVAL) AND	USPAT;	2003/01/16 14:54
		(FEEDBACK WITH INTERVAL)	EPO;	
		,	IBM TDB	1
4	18	((IMAGE AND FEEDBACK AND INTERVAL) AND	USPAT;	2003/01/16 14:55
-		(FEEDBACK WITH INTERVAL)) AND WEIGHT AND	EPO;	
		SEARCH	IBM TDB	
5	21	((IMAGE AND FEEDBACK AND INTERVAL) AND	USPAT;	2003/01/16 14:55
		(FEEDBACK WITH INTERVAL)) AND WEIGHT AND	EPO;	
		SEARCH\$3	IBM TDB	

ω	7	9	ហ	4.	X	2	Н	
⊠	⊠	⊠	⊠	⊠	⊠	⊠	⊠	а
								н
US A	US A	US A	US A	US A	US B1	US B1	US B1	Do
5717537	5722418	5884072	6115713	6154658	6278890	6306100	6430997	Document ID
19980210	19980303	19990316	20000905	20001128	20010821	20011023	20020813	Issue Date
64	101	134	135	25	64	36	53	Pages
Magnetic tape apparatus	Method for mediating social and behavioral processes in medicine and business through an interactive telecommunications guidance system	Networked facilities management system with updated data based on aging time	Networked facilities management system	Vehicle information and safety control system	Non-invasive turbulent blood flow imaging system	Intraoperative neurophysiological monitoring system	System and method for tracking and assessing movement skills in multidimensional space	Title
360/74.4	600/545	709/223	707/10	455/466	600/407	600/554	73/379.04	Current OR
242/333.2; 242/334; 318/603; 360/72.2; 360/95; 388/809	128/905; 128/920; 434/118; 482/9; 600/300; 600/544	700/2; 700/3; 709/224	709/201; 709/238; 714/1; 714/37	455/556; 455/556; 455/557; 455/66; 455/72; 455/99	00/4 00/4 00/5	128/908; 600/548; 607/48; 607/63		Current XRef
					Relevant			Retrieval Classif

8 Watanabe,	7 Bro,	Rasmu	Pascucci, A. et al.	Caci, c	Chass E. et	2 Prass,	1 French,	
nabe, Shuko et	L. William	Rasmussen, David E.	ncci, Gregory al.	. Joseph le	Chassaing, Charles E. et al.	, Richard L.	h, Barry J.	Inventor
								လ
								G
								שי
								ν
								ω
								44
								σ
□ us	SD	□ us	US	Sn	Sn	US	US	_ H
5717537	5722418	5884072	6115713	6154658	6278890	6306100	6430997	Image Doc. Displayed
								ΡŢ

 $\boxtimes$  $\boxtimes$  $\boxtimes$  $\boxtimes$  $\boxtimes$  $\boxtimes$  $\boxtimes$ d □ US A □ us A  $\vdash$ US A US A US A SD US 5463735 A Ŋ Document 5537479 5550980 5598566 5444851 5511188 5522044 IJ 19950822 19951031 19960423 19960528 19960716 19960827 19970128 Issue Date 136 137 135 134 39 Pages 134 135 Method of accessing information controllers in an arching device to management system with Networked facilities management system Networked facilities harmonics in-phase distortion electronic reduction of out-of-phase and reduction of speaker with acoustic optical coupling of management system with Networked facilities nodes controlled by other manipulate loads management software to distributed load configured with having a node management system Networked facilities non-configured device facilities management accordance with routing intermediate network controller through destination network information stored in for data base updates time stamp comparison Dual-driver local network devices system with a configured nodes in a Method of downloading Title bass 709/222 709/222 707/203 709/222 381/96 359/111 713/324 Current ဝဓ္က 381/89; 381/97 709/223 713/300 707/104.1 709/243 709/242 709/228; 709/208; 710/104 709/243; 709/237; 700/2; 370/351; 709/229; Current **XRef** Retrieval Classif

6

15

14

13

12

11

10

Pascucci, A. et al. Pascucci, A. et al. Pascucci, A. et al. Pascucci, A. et al. Kreisel, Kenneth W. et al. Pascucci, Woest, Karen L. et al. Inventor Gregory Gregory Gregory Gregory Gregory ល a Д N □ □ □ US 5550980 W Sn 🗆 🗆 sn 🗆 🗅 4 □ US 5598566 ហ SD Sn US 5444851 Image Doc. Displayed 5537479 5463735 5511188 5522044 PT 

11

10

9

15

14

13

12

01/:
16,
01/16/2003,
EAST
Version:
_
.03
1.03.0007

	ਖ	Н	Document ID	Issue Date	Pag s	Title	Current OR	Current XRef	Retrieval Classif
16	· 🛛		US 5384697 A	19950124	136	Networked facilities management system with balanced differential analog control outputs	700/10		
17	☒		US 5377302 A	19941227	67	System for recognizing speech	704/235	704/231; 704/251	
18	Ø		□ US 4430644 A	19840207	30	Encoding apparatus having an acoustic member with mirror-image tabs	341/22	178/17C; 367/197; 400/477; 400/479	
19	×		US 3657707 A	19720418	ა 8	LASER RECORDING SYSTEM WITH BOTH SURFACE DEFECT AND DATA ERROR CHECKING	365/127	347/225; 359/212; 359/223	
20	Ø		US 3654624 A	19720404		LASER RECORDING SYSTEM USING DRUM MOUNTED RECORD STRIPS	365/127	346/138; 347/256; 365/234	
21	⊠		US 3638185 A	19720125		HIGH-DENSITY PERMANENT DATA STORAGE AND RETRIEVAL SYSTEM	714/2	347/247; 365/127; 365/200; 714/31	

		Ì	Ì	Ì	Ì	Ì			
	Inventor	S	C	đ	2	ω	44	5	Image Doc. Displayed
91	Pascucci, Gregory A.								US 5384697
17	Tsiang, Elaine Y. L.								US 5377302
18	Blanchard, Jr., Raymond A. et al.								US 4430644
19	McFarland, Keith E. et al.								US 3657707
20	Becker, Carl H. et al.								
21	Dell, Harold R. et al.								